Appl. No.

10/041,688

**Filed** 

January 7, 2002

## AMENDMENTS TO THE CLAIMS

- 1. (Currently amended) An A liquid adhesive for sealing a wound, the adhesive comprising a cyanoacrylate, a microencapsulated—therapeutic agent comprising an antibiotic encapsulated in a microcapsule, and a defect forming agent, wherein the defect forming agent is capable of being removed from a cured cyanoacrylate matrix by solvation in an aqueous solution whereby a plurality of defects in the matrix are formed permitting release of the therapeutic agent from the matrix at a controlled rate.
- 2. (Currently amended) The <u>liquid</u> adhesive of claim 1, wherein the cyanoacrylate comprises butyl cyanoacrylate.
- 3. (Currently amended) The <u>liquid</u> adhesive of claim 1, wherein the cyanoacrylate comprises octyl cyanoacrylate.
- 4. (Currently amended) The <u>liquid</u> adhesive of claim 1, wherein the defect forming agent comprises a hydrophilic polymer.
- 5. (Currently amended) The <u>liquid</u> adhesive of claim 4, wherein the hydrophilic polymer comprises polyethylene glycol.
- 6. (Currently amended) The <u>liquid</u> adhesive of claim 5, wherein the polyethylene glycol has an average molecular weight of about 600.
  - 7. (Canceled)
- 8. (Currently amended) The <u>liquid</u> adhesive of claim 1, wherein the therapeutic agent <u>further comprises a component</u> is selected from the group consisting of anti-inflammatory agents, anti-infective agents, immunosuppressive agents, and anesthetic agents.
  - 9. (Canceled)
- 10. (Currently amended) The <u>liquid</u> adhesive of claim 1, further comprising a water-soluble acidic antidegradation agent.
- 11. (Currently amended) The <u>liquid</u> adhesive of claim 10, wherein the water-soluble acidic antidegradation agent comprises Vitamin C.
- 12. (Currently amended) A method of sealing a wound, the method comprising the steps of:

approximating the wound;

Appl. No. : 10/041,688

Filed: January 7, 2002

applying an a liquid adhesive comprising a liquid mixture of a cyanoacrylate, a microencapsulated therapeutic agent comprising an antibiotic encapsulated in a microcapsule, and a water soluble defect forming agent to a tissue surface surrounding the wound; and curing the adhesive, whereby the wound is sealed.

13. (Previously presented) The method of claim 12, further comprising the steps of: removing the defect forming agent from the cured adhesive by solvating the defect forming agent in a body fluid; and

delivering the therapeutic agent to the tissue surface beneath the cured adhesive via defects formed by removal of the defect forming agent.

- 14. (Previously presented) The method of claim 12, wherein the cyanoacrylate comprises butyl cyanoacrylate.
- 15. (Previously presented) The method of claim 12, wherein the cyanoacrylate comprises octyl cyanoacrylate.
- 16. (Original) The method of claim 12, wherein the defect forming agent comprises a hydrophilic polymer.
- 17. (Original) The method of claim 16, wherein the hydrophilic polymer comprises polyethylene glycol.
- 18. (Original) The method of claim 17, wherein the polyethylene glycol has an average molecular weight of about 600.
  - 19. (Cancelled)
- 20. (Currently amended) The method of claim 12, wherein the therapeutic agent further comprises a component is selected from the group consisting of anti-inflammatory agents, anti-infective agents, immunosuppressive agents, and anesthetic agents.
  - 21. (Canceled)
- 22. (Original) The method of claim 12, wherein the wound comprises a skin laceration.
- 23. (Currently amended) The method of claim 12, wherein the <u>liquid</u> adhesive further comprises a water-soluble acidic antidegradation agent.
- 24. (Original) The method of claim 23, wherein the water-soluble acidic antidegradation agent comprises Vitamin C.
  - 25. (Canceled)

Appl. No.

10/041,688

Filed

: January 7, 2002

26. (Currently amended) The <u>liquid</u> adhesive of claim <u>1</u> <del>25</del>, wherein the microencapsulated antibiotic comprises microcapsule comprises</del> a gelatin microcapsule.

- 27. (Currently amended) The <u>liquid</u> adhesive of claim <u>1</u> <del>25</del>, wherein the antibiotic comprises gatifloxacin.
- 28. (Currently amended) The <u>liquid</u> adhesive of claim <u>1</u> <del>25</del>, wherein the antibiotic comprises Penicillin G.
- 29. (Currently amended) The <u>liquid</u> adhesive of claim <u>1</u> <del>25</del>, wherein the antibiotic comprises Sulfanilamide.
  - 30. (Canceled)
- 31. (Currently amended) The method of claim 12 30, wherein the microencapsulated antibiotic comprises microcapsule comprises a gelatin microcapsule encapsulates the antibiotic.
- 32. (Currently amended) The method of claim 12 30, wherein the antibiotic comprises gatifloxacin.
- 33. (Currently amended) The method of claim 12 30, wherein the antibiotic comprises Penicillin G.
- 34. (Currently amended) The method of claim 12 30, wherein the antibiotic comprises Sulfanilamide.